

BALLISTIC HELMET PASGT

The PASGT helmet is designed to combat threats ranging from guns to splinters, this helmet features a large protective field for maximum coverage and safety. It is one of the most established helmet types in the world and is now widely used and trusted by professionals in the field. This helmet is made of Aramid material, a synthetic material known for its strength, heat resistant and non-and durability. This kind of helmet is available in a variety of sizes to suit users of all sizes. For example: military, police, SWAT agencies, national security agencies, border and customs protection or other agencies . We can also do OEM/ODM, such as adding rails to carrying communication equipment and other accessories to carry more tactical gear. Exchange the ordinary liner to the newest breathable memory buffer cushion system or MICH 7 pads .

PROTECT LEVEL	SiZE	MATERIAL	CIRCUMFERENCE (cm)	SIZE L• W • H (±3mm)	THICKNESS (mm)	WEIGHT (kg)
NIJ IIIA 9mm	M	PE	54- 58	268 x 243 x 170	8.0±0.2	1.25±0.05
	S		54-56	255 x 235 x 165	9.4±0.2	1.25±0.05
NIJ III A .44	M	PE	56-58	270 x 245 x 175	9.4±0.2	1.35±0.05
דד. א ווו נווו	L	, FL	58-60	285 x 254 x 180	9.4±0.2	1.43±0.05
	XL		60-62	300 x 270 x 185	9.4±0.2	1.5±0.05
	S		53-57	255 x 233 x 170	7.7±0.2	1.40±0.05
NIJ IIIA 9mm/.44	M	Aramid	56-60	267 x 242 x 176	7.7±0.2	1.45±0.0S
	L		5 9-64	282 x 256 x 180	7.7±0.2	1.50±0.05





www.landorarms.com

SKYWOLF-BH01SC

BALLISTIC HELMET AK PASGT

This helmet is a result of the collaboration between our factory and our clients who have specific end-user needs. We provide our customers with distances of 100 meters, 50 meters, and 15 meters protective options depending on their specific needs. Our helmet is designed to provide high defense levels and can resist AK soft steel-core bullets. To ensure maximum protection, our NGD-P-AK ballistic helmets offer a large protective zone for reliable coverage around your head. Additionally, it can equipped with rails for carrying communications equipment and other tactical accessories, making it ideal for a variety of tactical operations.









Style	Serial No.	Material	Bulletproof Level	Size	Circumference (cm)	Size (L*W*H) (±3mm)	Thickness (mm)	Weight (kg)
			AK (Lead core) 100	M	54-58	284×254×185	18±0.2	2.45± 0.05
		PE	m	L	58-62	292×265×190	18±0.2	2.50± 0.05
PASGT FOR	NCD LID AKN		AK (Lead core) 50 m	M	54-58	284×254×185	18±0.2	2.45± 0.05
AK	NGD-HP-AKN			L	58-62	292×265×190	18±0.2	2.50± 0.05
		AK (Lead core) 15 m	M	54-58	284×254×185	18±0.2	2.45± 0.05	
			Ļ	58-62	292×265×190	18±0.2	2.50± 0.05	





SKYWOLF-BH01SC

This helmet is a result of the collaboration between our factory and our clients who have specific end-user needs. We provide our customers with distances of 100 meters, 50 meters, and 15 meters protective options depending on their specific needs. Our helmet is designed to provide high defense levels and can resist AK soft steel-core bullets. To ensure maximum protection, our NGD-P-AK ballistic helmets offer a large protective zone for reliable coverage around your head. Additionally, it can equipped with rails for carrying communications equipment and other tactical accessories, making it ideal for a variety of tactical operations.









Style	Serial No.	Material	Bulletproof Level	Size	Circumference (cm)	Size (L*W*H) (±3mm)	Thickness (mm)	Weight (kg)
			AK (Lead core) 100	M	54-58	284×254×185	18±0.2	2.45± 0.05
		PE	m	L	58-62	292×265×190	18±0.2	2.50± 0.05
PASGT FOR	NCD LID AKN		AK (Lead core) 50 m	M	54-58	284×254×185	18±0.2	2.45± 0.05
AK	NGD-HP-AKN			L	58-62	292×265×190	18±0.2	2.50± 0.05
		AK (Lead core) 15 m	M	54-58	284×254×185	18±0.2	2.45± 0.05	
			L	58-62	292×265×190	18±0.2	2.50± 0.05	





www.landorarms.com

SKYWOLF-BH01SC

The MICH 2000 helmet is a revolutionary helmet style trusted by military, police and SWAT agencies around the world. This helmet offers a large area of protection that is effective against gun threats and debris, making it one of the most reliable helmets in the world.

The helmet is made of PE/UHMWPE material, a synthetic material known for its light weight, resistant to ultraviolet rays, which can be used in harsh environments with a long service life.

In addition, the MICH 2000 helmet is equipped with a range of advanced features, including NVG mounts and communication equipment, making it the perfect helmet for tactical operations.







PROTECT LEVEL	SiZE	MATERIAL	(cm)	SIZE L• W • H (±3mm)	THICKNESS (mm)	WEIGHT (kg)
NIJ IIIA 9mm	M	PE	54- 58	268 x 243 x 170	8.0±0.2	1.25±0.05
	S		54-56	255 x 235 x 165	9.4±0.2	1.25±0.05
NIJ III A .44	M	PE	56-58	270 x 245 x 175	9.4±0.2	1.35±0.05
IND III A .TT	L	, ,	58-60	285 x 254 x 180	9.4±0.2	1.43±0.05
	XL		60-62	300 x 270 x 185	9.4±0.2	1.5±0.05
	S		53-57	255 x 233 x 170	7.7±0.2	1.40±0.05
NIJ IIIA 9mm/.44	M	Aramid	56-60	267 x 242 x 176	7.7±0.2	1.45±0.0S
	L		59-64	282 x 256 x 180	7.7±0.2	1.50±0.05





SKYWOLF-BH02SC

BALLISTIC HEBALLISTIC HELMET ACH FULL-CUTLMET



The MICH 2000 helmet is a revolutionary helmet style trusted by military, police and SWAT agencies around the world. This helmet offers a large area of protection that is effective against gun threats and debris, making it one of the most reliable helmets in the world.

The helmet is made of PE/UHMWPE material, a synthetic material known for its light weight, resistant to ultraviolet rays, which can be used in harsh environments with a long service life.

In addition, the MICH 2000 helmet is equipped with a range of advanced features, including NVG mounts and communication equipment, making it the perfect helmet for tactical operations.







PROTECT LEVEL	SiZE	MATERIAL	CIRCUMFERENCE (cm)	SIZE L• W • H (±3mm)	THICKNESS (mm)	WEIGHT (kg)
NIJ IIIA 9mm	M	PE	54- 58	268 x 243 x 170	8.0±0.2	1.25±0.05
	S		54-56	255 x 235 x 165	9.4±0.2	1.25±0.05
NIJ III A .44	M	PE	56-58	270 x 245 x 175	9.4±0.2	1.35±0.05
דד. א ווו נואו	Ĺ	,,,	58-60	285 x 254 x 180	9.4±0.2	1.43±0.05
	XL		60-62	300 x 270 x 185	9.4±0.2	1.5±0.05
	S		53-57	255 x 233 x 170	7.7±0.2	1.40±0.05
NIJ IIIA 9mm/.44	M	Aramid	56-60	267 x 242 x 176	7.7±0.2	1.45±0.0S
	L		59-64	282 x 256 x 180	7.7±0.2	1.50±0.05





SKYWOLF-BH02SC

The Fast helmet is widely recognized as one of the most effective and reliable helmet types against gun threats in the world. This helmet is made of Aramid material, a synthetic material known for its strength, heat resistant and non-and durability. The Fast helmet is packed with features designed to enhance comfort and functionality. It includes an adjustable dial fit system to provide a customizable and secure fit, as well as a removable moisture-wicking lining for maximum comfort. One of the key benefits of the Fast helmet is its ease of use. The design allows for quick and easy donning and doffing, making it an ideal choice for a wide range of agencies and applications, including military, police, SWAT, border and customs protection, and national security agencies. The helmet is also equipped with NVG mounts, shrond, and rails to allow for the attachment of communication equipment and other accessories, making it a versatile and flexible choice for tactical operations.









PROTECT LEVEL	SiZE	MATERIAL	CIRCUMFERENCE (cm)	SIZE L• W • H (±3mm)	THICKNESS (mm)	WEIGHT (kg)
	L		57- 60	273 x 215 x 155	8.0±0.2	1.35±0.05
NIJ IIIA 9mm	XL	PE	60-63	275 x 220 x 160	8.0±0.2	1.40±0.05
NIJ III A .44	L		57- 60	275 x 218 x 158	9.4±0.2	1.45±0.05
NIJ IIIA 9mm/.44	L	ADAMID	54-59	270 x 214 x 177	8.0±0.2	1.50±0.0S
	XL	ARAMID	59-64	277 x 228 x 180	8.0±0.2	1.60±0.05







SKYWOLF-BH03SC











BLACK GREEN

TAN

• Malzeme: ARAMİD

• NIJ seviye IIIA 9 mm FMJ Balistik Mukavemet: Mevcut


- NIJ seviye IIIA 44 Magnum Balistik Mukavemet: Mevcut
- STANAG 2920 1,1gr Şarapnel V50 Değeri: En az 600 m/s
- DOT FMVSS 218 (-10, +55 ve+20 C' de) Darbe Emici Sistem Özellikleri: 10 ft/s hızda en fazla 100G ortalama ivmelenme
- Çene Kayış Sistemi: 4 noktadan bağlı, çevirmeli ayarlanabilir ense destekli model
- Renk Alternatifleri: Siyah, Yeşil, Tan
- Yüzey Alanları (+/-5 cm²): 1000-1070-1160-1230 cm²
- Kask Ağırlıkları (+/-50 gr): 1350-1450-1550-1650 gr
- * Ağırlıklara boyanmış ve kenar fitili takılmış kask, darbe emici pad sistemi, çene kayış sistemi, gece görüş cihazı monte hamili ve aksesuar taşıyıcı yan raylar dahildir.





9MM SAVUNMA AŞ BALLISTIC VESTS





SKY WOLF-B007 - BLACK

BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single-hand 2-Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system
Tweave comfort inner surface
Emergency extraction drag strap
Multi-cummerbund system

Fire retardant 1000 D Nylon 6,6 finish

Designed to reduce weight from the shoulders and transfer it to the lower torso. Includes a lower back protector designed to absorb fragmentation impacts to the lower back/kidney area.

Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
	0.3		1.8	2.6
NIJ 9mm	0.32	30 layers PE UD+6mmEVA	1.9	2.7
	0.34		2.0	2.8
	0.3		2.0	2.8
NIJ .44	0.32	35 layers PE UD+1 layer PC+ 6mmEVA	2.1	2.9
	0.34		2.2	3.0





SKYWOLF-B007 - WHITE

BALLISTIC VESTS

NIJ LEVEL IIIA

YUMUŞAK BALİSTİK KORUMA ÇÖZÜMLERİ Yüksek Kalite - Güvenilir - Yüksek Teknoloji











Balistik Standart	Mühimmat	Bileşim	
NII I 0404 04 0 - 1 - 0	9x19mm FMJ RN	Aramid/UHMWPE	
NIJ 0101.04 Seviye 2	.357 Magnum JSP		
	9x19mm FMJ RN		
NIJ 0101.04 Seviye 2	.357 Magnum JSP	Aramid/UHMWPE	
NIJ 0115.00 Seviye 1	P1 / S1 Knife Blade		
	9x19mm FMJ RN		
NIJ 0101.04 Seviye 3A	.44 Magnum SJHP	Aramid/UHMWPE	
	.357 SIG FMJ FN		
NIJ 0101.06 Seviye 3A	.44 Magnum SJHP	Aramid/UHMWPE	
	.357 SIG FMJ FN		
NIJ 0101.06 Seviye 3A	.44 Magnum SJHP	Aramid/UHMWPE	
NIJ 0115.00 Seviye 1	P1 / S1 Bıçak Koruma	www.landorarm	s.com



SKY WOLF-B009 -PLATE BALLISTIC PLATE NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single-hand 2-Point Emergency release system
MOLLE Compatible webbing system
Front abdominal flap secures external cummerbund
Adjustable shoulder strapping system
Tweave comfort inner surface

Emergency extraction drag strap

Multi-cummerbund system

Fire retardant 1000 D Nylon 6,6 finish

Designed to reduce weight from the shoulders and transfer it to the lower torso.

Includes a lower back protector designed to absorb fragmentation impacts to the lower back/kidney area

Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
0.3			1.8	2.6
NIJ 9mm	0.32	30 layers PE UD+6mmEVA	1.9	2.7
	0.34		2.0	2.8
	0.3		2.0	2.8
NIJ .44	0.32	35 layers PE UD+1 layer PC+ 6mmEVA	2.1	2.9
	0.34		2.2	3.0





SKY WOLF BOO9 -PLATE

BALLISTIC PLATE

NIJ LEVEL III

TECHNICAL SPECIFICATIONS

Single-hand 2-Point Emergency release system

MOLLE Compatible webbing system

Front abdominal flap secures external cummerbund

Adjustable shoulder strapping system

Tweave comfort inner surface

Emergency extraction drag strap

Multi-cummerbund system

Fire retardant 1000 D Nylon 6,6 finish

Designed to reduce weight from the shoulders and transfer it to the lower torso.

Includes a lower back protector designed to absorb fragmentation impacts to the lower back/kidney area.

Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
	0.5		2.9	4.1
NIJ 9mm	0.53	30 layers PE UD+6mmEVA	3.1	4.3
	0.56		3.3	4.5
	0.5		3.3	4.5
NIJ .44	0.53	35 layers PE UD+1 layer PC+ 6mmEVA	3.5	4.7
	0.56		3.7	4.9







SKY WOLF B010 -PLATE-VEST BALLISTIC VEST

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single-hand 2-Point Emergency release system

MOLLE Compatible webbing system

Front abdominal flap secures external cummerbund

Adjustable shoulder strapping system

Tweave comfort inner surface

Emergency extraction drag strap

Multi-cummerbund system

Fire retardant 1000 D Nylon 6,6 finish

Designed to reduce weight from the shoulders and transfer it to the lower torso.

Includes a lower back protector designed to absorb fragmentation impacts to the lower back/kidney area.

Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
	0.5		2.9	4.1
NIJ 9mm	0.53	30 layers PE UD+6mmEVA	3.1	4.3
	0.56		3.3	4.5
	0.5	35 layers PE UD+1 layer PC+ 6mmEVA	3.3	4.5
NIJ .44	0.53		3.5	4.7
	0.56		3.7	4.9





SERT BALISTIK

KORUMA ÇÖZÜMLERİ Yüksek Kalite - Güvenilir - Yüksek Teknoloji











NIJ 0101.06 Balistik Standart	Mühimmat	Atış Sayısı	250 x 300 mm Plaka Ağırlık (gr) (±100gr)	Kalınlık (±2mm)	Bileşim
NIJ III	7.62x51 mm	6	1000	23	PE
NIJ III	7.62x51 mm	6	1300	28	PE
NIJ III+	7.62×39 MSC	6	1100	24	PE
	5.56×45 SS109		47-0	00	0 BE
NIJ III++	308. Win (M80)	6	1750	26	Seramik + PE
NIJ IV -	7.62x39 BZ (AP)	1	2000	23	Seramik + PE
NI IV	7.62x63 M2AP	1	2350	25	Seramik + PE
NIJ IV -	7.62x39 BZ (AP)	3	2150	23	Seramik + PE
NI IV	7.62x63 M2AP	3	2600	28	Seramik + PE
Balístik Standart	Mühlmmat	Atış Sayısı	Yan Plakalar 150x150 mm Ağırlık (gr) (±50gr)	Kalınlık (±2mm)	Bileşim
NIJ 0101.06 Seviye III	308. W n (M80)	1	410	28	PE
	5.56x45 SS109	95271		1120	macrost vocators organistis organis
NIJ 0101.06 Seviye IV-	308. Win (M80)	1	600	26	Seramik + PE
VPAM 10	7.62X54R API (B32)	1	850	25	Seramik + PE
NIJ 0101.06 Seviye IV	7.62x63 M2AP	1	850	25	Seramik + PE
VPAM Balistik Standart	Mühimmat	Atış Sayısı	SAPI Medium Göğüs Plakası Ağırlık (gr) (±100gr)	Kalınlık (±2mm)	Bileşim
VPAM 6	7.62X39 MSC	3	1100	24	PE
neutra	5.56X45 SS109		Halley		822107007.00
VPAM 7	7.62x51 Nato Ball M80	3	1700	26	Seramik + PE
VPAM 8	7.62X39 BZ (AP)	3	2150	23	Seramik + PE
VPAM 9	7.62X51 AP (P80)	3	2400	24	Seramik + PE
VPAM 10	7.62X54R API (B32)	3	2850	25	Seramik + PE
GOST R 50744-2014 Balistik Standart	Mühimmat	Atış Sayısı	SAPI Medium Göğüs Plakası Plaka Ağırlığı (gr) (±100gr)	Kalınlık (±2mm)	Bileşim
BR4	5.45X39 (6P20)	3	1700	20	Seramik + PE
BR4	7.62X39 BZ (AP)	3	2150	23	Seramik + PE
BR5	7.62X54R API (B32)	3	2900	25	Seramik + PE


*Burada verilen tüm ağırlıkların ve boyutların, projenin özel gereksinimlerine göre değişebilir.

PLATE CARRIER VEST



















SKY WOLF-B010 -PLATE-VEST

SKY WOLF -B010 -PLATE-VEST

PLATE CARRIER VEST

"BALLISTIK UHMWPE-44 MAGNUM İLE 5M ATIŞ TESTİ (LEVEL IIIA)"

"5M SHOOTING TEST WITH BALLISTIC UHMWPE-44

MAGNUM (LEVEL IIIA)"





www.landorarms.com





SKY WOLF-B011 -PLATE-VEST BALLISTIC VESTS

NIJ LEVEL IIIA

TECHNICAL SPECIFICATIONS

Single-hand 2-Point Emergency release system

MOLLE Compatible webbing system

Front abdominal flap secures external cummerbund

Adjustable shoulder strapping system

Tweave comfort inner surface

Emergency extraction drag strap

Multi-cummerbund system

Fire retardant 1000 D Nylon 6,6 finish

Designed to reduce weight from the shoulders and transfer it to the lower torso.

Includes a lower back protector designed to absorb fragmentation impacts to the lower back/kidney area.

Removable/adjustable side plates

Ballistic Level	Protection Area	Solution	Panel Weight ±0.1kg	Total Weight ±0.1kg
NIJ 9mm	0.5	30 layers PE UD+6mmEVA	2.9	4.1
	0.53		3.1	4.3
	0.56		3.3	4.5
NIJ .44	0.5	35 layers PE UD+1 layer PC+ 6mmEVA	3.3	4.5
	0.53		3.5	4.7
	0.56		3.7	4.9







SKY WOLF SAVUNMA BALLISTIC VESTS

HELMET-PLATE-VEST



LANDOR -ARMS-



